

IN THE CLAIMS

1. (Currently Amended) A method of browsing the World Wide Web comprising the steps of:

(1) relating Web pages on said World Wide Web to each other consistent with a spatial organization;

(2) simultaneously displaying multiple Web pages in multiple panels of a display in a manner consistent with said spatial organization;

(3) allowing a user surfing the World Wide Web to move a Web page between said panels of said display;

(4) designating at least one of said Web pages as an always there page responsive to data contained in said at least one Web page;

A 1
(5) responsive to a user moving a Web page between panels, automatically moving others of said Web pages among said panels, except said always there page and any page that, responsive to said movement would otherwise appear in said panel occupied by said always there page, ~~between said panels~~ in a manner that is consistent with ~~their~~ said spatial organization; and

(6) causing said always there Web page to remain in a particular panel of said display regardless of movement of other Web pages.

2. (Original) The method of claim 1 wherein step (6) comprises, responsive to movement by said user of a page displayed in one of said panels to another panel, moving said pages displayed in other of said panels correspondingly, except for said always there page.

3. (Original) The method of claim 1 wherein step (4) is performed by said user.

4. (Currently Amended) The method of claim 3 wherein step (4) comprises the steps of:

(4.1) said user positioning a cursor in one of said panels;

(4.2) said user performing an operation indicating a desire that a said at least one Web page be designated as an always there page;

(4.3) causing said page displayed within said panel within which said cursor was positioned when step (4.2) was performed to be designated as said always there page.

A (

5. (Currently Amended) The method of claim 4 wherein step (4.2) comprises the steps of:

(4.2.1) said user right clicking on a mouse;

(4.2.2) responsive to performance of step (4.2.1), causing a menu to be displayed, said menu including an option to designate a said at least one Web page as an always there page; and

(4.2.3) said user selecting said option from said menu.

6. (Cancelled).

7. (Currently Amended) The method of claim 6 1 wherein step (4) is performed automatically responsive to meta-data contained in a said at least one Web page.

8. (Currently Amended) The method of claim 7 wherein said meta-data is embedded within said at least one Web page.

9. (Original) The method of claim 1 wherein step (2) comprises displaying said multiple Web pages in a manner that emulates at least three dimensional space.

10. (Original) The method of claim 9 wherein said spatial organization of Web pages corresponds to at least a three dimensional spatial interrelationship.

A'
11. (Currently Amended) The method of claim 1 wherein, in step (5), a said page that would otherwise appear in a panel within which said always there page is displayed, is not displayed.

12. (Currently Amended) A computer implemented method of organizing and displaying data on a computer display, said data comprised of separate computer files comprising data for display, said method comprising the steps of:

(1) relating said files to each other consistent with a spatial organization;

(2) simultaneously displaying multiple files in multiple panels of a display in a manner visually consistent with said spatial organization;

(3) allowing a user to move said files ~~between~~ among said panels of said display;

(4) designating at least one of said files as an always there file responsive to data contained in at least one of said files;

(5) responsive to a user moving a file between panels, automatically moving other of said files among said panels, except said always there file, and any page that, responsive to said movement, would otherwise appear in said panel occupied by said always there page, ~~between said panels~~ in a manner that is consistent with ~~their~~ said spatial organization; and

(6) causing said always there file to remain in a particular panel of said display regardless of movement of other Web pages.

Al 13. (Original) The method of claim 12 wherein step (6) comprises, responsive to movement by said user of a file displayed in one of said panels to another panel, moving said files displayed in others of said panels correspondingly, except for said always there file.

14. (Original) The method of claim 12 wherein step (4) is performed by said user.

15. (Currently Amended) The method of claim 14 wherein step (4) comprises the steps of:

(4.1) said user positioning a cursor in one of said panels;

(4.2) said user performing an operation indicating a desire that a said at least one file be designated as an always there file;

(4.3) causing said file displayed within said panel within which said cursor was positioned when step (4.2) was performed to be designated as said always there file.

16. (Currently Amended) The method of claim 15 wherein step (4.2) comprises the steps of:

(4.2.1) said user right clicking on a mouse;

(4.2.2) responsive to performance of step (4.2.1), causing a menu to be displayed, said menu including an option to designate a said at least one file as an always there file; and

(4.2.3) said user selecting said option from said menu.

17. (Cancelled).

AI 18. (Currently Amended) The method of claim 47 12 wherein said data contained in at least one of said files is contained within said ~~at least one~~ designated always there file.

19. (Original) The method of claim 12 wherein step (2) comprises displaying said multiple files in a manner that emulates at least three dimensional space.

20. (Original) The method of claim 19 wherein said spatial organization of files corresponds to at least a three dimensional spatial interrelationship.

21. (Original) The method of claim 12 wherein, in step (5), a file that would otherwise appear in a panel within which said always there file is displayed, is not displayed.

22. (Currently Amended) A computer implemented Web browser comprising:

- a first program for relating Web pages on said World Wide Web to each other consistent with a spatial organization;
- a second program for simultaneously displaying multiple Web pages in multiple panels of a display in a manner visually consistent with said spatial organization;
- a third program for allowing a user to move a Web page ~~between~~ among said panels of said display;
- a fourth program for designating at least one of said Web pages as an always there page responsive to data contained in said at least one Web page;
- a fifth program, responsive to a user moving a Web page ~~between~~ among panels, for automatically moving others of said Web pages among said panels, except said always there page and any page that, responsive to said movement would otherwise appear in said panel occupied by said always there page, ~~between said panels~~ in a manner that is consistent with ~~their~~ said spatial organization; and
- a sixth program for causing said always there Web page to remain in a particular panel of said display regardless of movement of other Web pages.

23. (Original) The Web browser of claim 22 wherein said sixth program is responsive to movement by said user of a page displayed in one of said panels to another panel to move said pages displayed in other of said panels correspondingly, except for said always there page.

24. (Original) The Web browser of claim 22 wherein said fourth program is responsive to a user of said Web browser.

A (

25. (Currently Amended) The Web browser of claim 24 wherein said fourth program operates, responsive to said user positioning a cursor in one of said panels corresponding to said at least one Web page and performing an operation indicating a desire that a page be designated as an always there page, to cause said at least one Web page ~~displayed within said panel within which said cursor was positioned~~ when said operation was performed to be designated as said always there page.

26. (Currently Amended) The Web browser of claim 25 wherein said operation comprises said user right clicking on a mouse and wherein said fourth program, responsive thereto, causes a menu to be displayed, said menu including an option to designate a said at least one Web page as an always there page, and, responsive to said user selecting said option from said menu, designating said at least one Web page as an always there page.

27. (Cancelled).

A¹ 28. (Currently Amended) The Web browser of claim ~~27~~ 22 wherein said fourth program is responsive to meta-data contained in a said at least one Web page.

29. (Currently Amended) The Web browser of claim 28 wherein said fourth program is responsive to meta-data embedded within said at least one Web page.

30. (Original) The Web browser of claim 22 wherein said second program displays said multiple Web pages in a manner that emulates at least three dimensional space.

31. (Original) The Web browser of claim 30 wherein said spatial organization of Web pages corresponds to at least a three dimensional spatial interrelationship.

A¹

32. (Currently Amended) The Web browser of claim 22 wherein said fifth program causes a said page that would otherwise appear in a panel within which said always there page is displayed, to not be displayed.

33. (Newly Added) A method of browsing the World Wide Web comprising the steps of:

(1) relating Web pages on said World Wide Web to each other consistent with a spatial organization;

(2) simultaneously displaying multiple Web pages in multiple panels of a display in a manner consistent with said spatial organization;

A²

(3) allowing a user surfing the World Wide Web to move a Web page between said panels of said display;

(4) designating at least one of said Web pages as an always there page;

(5) responsive to a user moving a Web page between panels, automatically moving others of said Web pages among said panels, except said always there page and any page that, responsive to said movement would otherwise appear in said panel occupied by said always there page, in a manner that is consistent with said spatial organization; and

(6) causing said always there Web page to remain in a particular panel of said display regardless of movement of other Web pages;

wherein step 4 comprises the steps of;

(4.1) said user positioning a cursor in one of said panels corresponding to said at least one Web page;

(4.2) said user right clicking on a mouse;

(4.3) responsive to performance of step (4.2), causing a menu to be displayed, said menu including an option to designate said at least one Web page as an always there page; and

(4.4) responsive to said user selecting said option from said menu, causing said at least one Web page to be designated as said always there page responsive to said selection.

A2

34. (Newly Added) A computer implemented method of organizing and displaying data on a computer display, said data comprised of separate computer files comprising data for display, said method comprising the steps of:

(1) relating said files to each other consistent with a spatial organization;

(2) simultaneously displaying multiple files in multiple panels of a display in a manner visually consistent with said spatial organization;

(3) allowing a user to move said files among said panels of said display;

(4) designating at least one of said files as an always there file responsive to data contained in at least one of said files;

(5) responsive to a user moving a file between panels, automatically moving other of said files among said panels, except said always there file; and any page that, responsive to said movement, would otherwise appear in said panel occupied by said always there page, in a manner that is consistent with said spatial organization; and

(6) causing said always there file to remain in a particular panel of said display regardless of movement of other Web pages.

wherein step (4) comprises the steps of:

(4.1) said user positioning a cursor in one of said panels;

AP (4.2) said user performing an operation indicating a desire that said at least one file be designated as an always there file;

(4.3) said user right clicking on a mouse;

(4.4) responsive to performance of step (4.3), causing a menu to be displayed, said menu including an option to designate said at least one file as an always there file; and

(4.5) responsive to said user selecting said option from said menu, causing said file displayed within said panel within which said cursor was positioned in step (4.1) to be designated as said always there file.

35. (Newly Added) A computer implemented Web browser comprising:
a first program for relating Web pages on said World Wide Web to each other consistent with a spatial organization;

a second program for simultaneously displaying multiple Web pages in multiple panels of a display in a manner visually consistent with said spatial organization;

a third program for allowing a user to move a Web page among said panels of said display;

a fourth program for designating at least one of said Web pages as an always there page;

A2 a fifth program, responsive to a user moving a Web page among panels, for automatically moving others of said Web pages among said panels, except said always there page and any page that, responsive to said movement would otherwise appear in said panel occupied by said always there page, in a manner that is consistent with said spatial organization; and

a sixth program for causing said always there Web page to remain in a particular panel of said display regardless of movement of other Web pages;

wherein said fourth program operates, responsive to said user positioning a cursor in one of said panels corresponding to said at least one Web page and right clicking on a mouse, to cause a menu to be displayed, said menu including an option to designate said at least one Web page as an always there page, and, responsive to said user selecting said option from said menu, designating said at least one Web page as an always there page.
